

WELL

规格特性

SPECIFICATIONS

WLB1608 TYPE

Pare Number	Impedance (Ohm)	Test Frequency (MHz)	Rated Current (mA)Max.	DCR (Ω)Max.
WLB1608 - 000T30	2~5	100	3000	0.03
WLB1608 - 100T30	10 \pm 25%	100	3000	0.03
WLB1608 - 300T30	30 \pm 25%	100	3000	0.04
WLB1608 - 470T30	47 \pm 25%	100	3000	0.04
WLB1608 - 600T30	60 \pm 25%	100	3000	0.04
WLB1608 - 800T30	80 \pm 25%	100	3000	0.06
WLB1608 - 101T30	100 \pm 25%	100	3000	0.10
WLB1608 - 121T30	120 \pm 25%	100	3000	0.10
WLB1608 - 151T30	150 \pm 25%	100	3000	0.10
WLB1608 - 181T20	180 \pm 25%	100	3000	0.10
WLB1608 - 221T20	220 \pm 25%	100	3000	0.10
WLB1608 - 301T20	300 \pm 25%	100	2000	0.11
WLB1608 - 331T20	330 \pm 25%	100	2000	0.12
WLB1608 - 471T10	470 \pm 25%	100	1000	0.15
WLB1608 - 601T10	600 \pm 25%	100	1000	0.2
WLB1608 - 102T10	1000 \pm 25%	100	1000	0.25

WELL

规格特性

SPECIFICATIONS

WLB2012 TYPE

Pare Number	Impedance (Ohm)	Test Frequency (MHz)	Rated Current (mA)Max.	DCR (Ω)Max.
WLB2012 - 000T30	2~5	100	3000	0.01
WLB2012 - 100T30	10 \pm 25%	100	3000	0.02
WLB2012 - 300T30	30 \pm 25%	100	3000	0.02
WLB2012 - 600T30	60 \pm 25%	100	3000	0.025
WLB2012 - 800T30	80 \pm 25%	100	3000	0.04
WLB2012 - 101T20	100 \pm 25%	100	2000	0.04
WLB2012 - 121T30	120 \pm 25%	100	3000	0.04
WLB2012 - 151T30	150 \pm 25%	100	3000	0.04
WLB2012 - 201T20	200 \pm 25%	100	2000	0.05
WLB2012 - 221T20	220 \pm 25%	100	2000	0.05
WLB2012 - 301T20	300 \pm 25%	100	2000	0.08
WLB2012 - 331T20	330 \pm 25%	100	2000	0.08
WLB2012 - 471T20	470 \pm 25%	100	2000	0.1
WLB2012 - 601T20	600 \pm 25%	100	2000	0.1
WLB2012 - 102T10	1000 \pm 25%	100	1000	0.12

WELL

规格特性

SPECIFICATIONS

WLB3216 TYPE

Pare Number	Impedance (Ohm)	Test Frequency (MHz)	Rated Current (mA)Max.	DCR (Ω)Max.
WLB3216 - 000T30	2~5	100	3000	0.05
WLB3216 - 100T30	10 \pm 25%	100	3000	0.06
WLB3216 - 300T30	30 \pm 25%	100	3000	0.08
WLB3216 - 600T30	60 \pm 25%	100	3000	0.10
WLB3216 - 800T30	80 \pm 25%	100	3000	0.10
WLB3216 - 101T30	100 \pm 25%	100	3000	0.10
WLB3216 - 121T30	120 \pm 25%	100	3000	0.12
WLB3216 - 151T30	150 \pm 25%	100	3000	0.15
WLB3216 - 181T30	180 \pm 25%	100	3000	0.15
WLB3216 - 201T30	200 \pm 25%	100	3000	0.20
WLB3216 - 221T30	220 \pm 25%	100	3000	0.20
WLB3216 - 301T25	300 \pm 25%	100	2500	0.20
WLB3216 - 331T25	330 \pm 25%	100	2500	0.20
WLB3216 - 501T20	500 \pm 25%	100	2000	0.20
WLB3216 - 601T20	600 \pm 25%	100	2000	0.25
WLB3216 - 102T20	1000 \pm 25%	100	2000	0.30